TENTATIVE

All information in this technical data sheet is tentative and subject to change without notice.

Preliminary

## 5.7"VGA

TECHNICAL SPECIFICATION

<u>AA057VG02</u>

# MITSUBISHI ELECTRIC Corp.

Date: Oct.22,'08

## **CONTENTS**

No.	Item	Page
	COVER	1
	CONTENTS	2
1	APPLICATION	3
2	OVERVIEW	4
3	ABSOLUTE MAXIMUM RATINGS	5
4	ELECTRICAL CHARACTERISTICS	5, 6
5	INTERFACE PIN CONNECTION	7, 8
6	INTERFACE TIMING	9, 10, 11, 12
7	BLOCK DIAGRAM	13
8	MECHANICAL SPECIFICATION	14, 15
9	OPTICAL CHARACTERISTICS	16, 17, 18
10	RELIABILITY TEST CONDITION	19
11	OTHER FEATURE	20
12	HANDLING PRECAUTIONS FOR TFT-LCD MODULE	21, 22

#### 1. APPLICATION

This specification applies to color TFT-LCD module, AA057VG02.

These specification papers are the proprietary product of Mitsubishi Electric Corporation ("MITSUBISHI) and include materials protected under copyright of MITSUBISHI. No part of this document may be reproduced in any form or by any means without the express written permission of MITSUBISHI.

MITSUBISHI does not assume any liability for infringement of patents, copyrights or other intellectual property rights of third parties by or arising from use of a product specified in this document. No license, express, implied or otherwise, is granted under any patents, copyrights or other intellectual property rights of MITSUBISHI or of others.

MITSUBISHI classifies the usage of the TFT-LCD module as follows. Please confirm the usage before using the product.

#### (1) Standard Usage

Computers, office equipment, factory automation equipment, test and measurement equipment, communications, transportation equipment(automobiles, ships, trains, etc.), provided, however, that operation is not influenced by TFT-LCD directly.

#### (2) Special Usage

Medical equipment, safety equipment, transportation equipment, provided, however, that TFT-LCD is necessary to its operation.

#### (3) Specific Usage

Cockpit Equipment, military systems, aerospace equipment, nuclear reactor control systems, life support systems and any other equipment. MITSUBISHI should make a contract that stipulate apportionment of responsibilities between MITSUBISHI and our customer.

The product specified in this document is designed for "Standard Usage" unless otherwise specified in this document. If customers intend to use the product for applications other than those specified for "Standard Usage", they should first contact MITSUBISHI sales representative for it's intended use in writing.

MITSUBISHI has been making continuous effort to improve the reliability of its products. Customers should implement sufficient reliability design of their application equipments such as redundant system design, fail-safe functions, anti-failure features.

MITSUBISHI assumes no responsibility for any damage resulting from the use of the product that does not comply with the instructions and the precautions specified in this document.

Please contact and consult a MITSUBISHI sales representative for any questions regarding this product.

#### 2. OVERVIEW

AA057VG02 is 5.7" color TFT-LCD (Thin Film Transistor Liquid Crystal Display) module composed of LCD panel, driver ICs, control circuit, LED driver and backlight unit.

By applying 6 bit digital data  $640 \times 480$ , 262k-color images are displayed on the 5.7" diagonal screen. Input power voltages are 3.3 V for LCD driving and 5.0 V for backlight unit.

The type of data and control signals are digital and transmitted via CMOS interface per Typ. 25 MHz clock cycle.

General specifications are summarized in the following table:

ITEM	SPECIFICATION
Display Area (mm)	115.2 (H) × 86.4 (V) (5.7-inch diagonal)
Number of Dots	$640 \times 3 \text{ (H)} \times 480 \text{ (V)}$
Pixel Pitch (mm)	$0.18(H) \times 0.18(V)$
Color Pixel Arrangement	RGB vertical stripe
Display Mode	Normally white TN(transflective type)
Number of Color	262k
Luminance (cd/m²)	(250)
Viewing Angle (CR ≥ 10)	TBD
Surface Treatment	Anti-reflection and hard-coating 2H
Electrical Interface	CMOS
Optimum Viewing Angle (Contrast ratio)	6 o'clock
Module Size (mm)	135.0 (W) × 104.6 (H) × 8.85 (D)
Module Mass (g)	165
Backlight Unit	LED

Characteristic value without any note is typical value.

### 3. ABSOLUTE MAXIMUM RATINGS

ITEM	SYMBOL	MIN.	MAX.	UNIT
Power Supply Voltage for LCD	VCC	-0.3	4.0	V
Logic Input Voltage	VI	-0.3	6.0	V
Backlight Voltage	VL	-0.6	6.5	V
Backlight ON-OFF	BLEN	-0.6	6.5	V
Light Dimming Control Voltage	VBRT	-0.6	6.5	V
Operation Temperature (Panel) Note 1,2)	Top(Panel)	-20	70	$^{\circ}\mathrm{C}$
Operation Temperature (Ambient) Note 2)	Top(Ambient)	-20	70	$^{\circ}\mathrm{C}$
Storage Temperature Note 2)	$\mathrm{T_{stg}}$	-30	80	$^{\circ}\mathrm{C}$

#### [Note]

- 1) Measured at the center of active area and at the center of panel back surface
- 2) Top,Tstg  $\leq$  40°C : 90%RH max. without condensation Top,Tstg > 40°C : Absolute humidity shall be less than the value of 90%RH at 40°C without condensation.

#### 4. ELECTRICAL CHARACTERISTICS


(1) TFT- LCD

Ambient temperature:  $Ta = 25^{\circ}C$ 

ITEM		SYMBOL	MIN.	TYP.	MAX.	UNIT	Remarks
Power Supply Voltage	for LCD	VCC	3.0	3.3	3.6	V	*1)
Power Supply Current	for LCD	ICC		300	400	mA	*2)
Permissive Input Ripp	VRP			100	mVp-p	VCC=+3.3V	
I amia Immut Waltama	High	VIH	2.0		5.5	V	
Logic Input Voltage	Low	VIL	0		0.8	V	

<sup>\*1)</sup> Power and signals sequence:

 $\begin{array}{lll} t1 \leq 10 \; ms & 200 \; ms \leq t4 \\ 0 < t2 \leq 50 \; ms & 200 \; ms \leq t5 \\ 0 < t3 \leq 50 \; ms & 0 \leq t6 \end{array}$ 




data: RGB DATA, DCLK, DENA, R/L, U/D

#### VCC-dip conditions:

- 1) When  $2.4 \text{ V} \le \text{VCC} \le 3.0 \text{ V}$ ,  $\text{td} \le 10 \text{ ms}$
- 2) When VCC < 2.4 V

VCC-dip conditions should also follow the power and signals sequence.



\*2) VCC = +3.3 V,  $f_H=31.5 \text{kHz}$ ,  $f_V=60 \text{Hz}$ ,  $f_{CLK}=25 \text{MHz}$  Display image at typical power supply current value is 64-gray-bar pattern (6 bit), 480 line mode.

#### \*3) Fuse

Parameter	Fuse Type Name	Supplier	Remark
VCC	FCC16162AB	Kamaya Electric Co., Ltd.	*)

<sup>\*)</sup> The power supply capacity should be designed to be more than the fusing current.

(2) Backlight

Ta=25°C

ITEM	SYMBOL	MIN.	TYP.	MAX.	UNIT	Remarks	
Input Voltage		VL	4.5	5.0	5.5	V	*3)
Input Current		IL			750	mA	IF=90 mA
Dooldinht ON-OFF	High	BLEN	0.8VL	-	VL	V	ON
Backlight ON-OFF	Low	BLEN	0		0.2VL	V	OFF
LED Life Time		LT	60000			h	*1), IF= 90 mA Continuous Operation
Light Dimming Cont	rol Voltage	VBRT	0		2.5	V	0V:Maximum Luminance

<sup>\*1)</sup> LED life time is defined as the time when the brightness becomes 50% of the initial value.

\*2) Comply with the LED power-on sequence of VL→BLEN, VBRT, and LED power-off sequence of BLEN, VBRT→VL.

#### \*3) Fuse

97 I WO			
Parameter	Fuse Type Name	Supplier	Remark
VL	TF16SN3.15T	KOA	*)

<sup>\*)</sup> The power supply capacity should be designed to be more than the fusing current.

## **5. INTERFACE PIN CONNECTION**

(1) CN 1(Interface Signal)

Used connector: 08-6260-033-340-829+ (KYOCERA ELCO)

1	Pin No.	Symbol	Function
3	1	GND	
4         VD         Vertical sync signal         *1)           5         GND           6         R0         Red data signal(LSB)           7         R1         Red data signal           8         R2         Red data signal           9         R3         Red data signal           10         R4         Red data signal           11         R5         Red data signal           12         GND           13         G0         Green data signal(LSB)           14         G1         Green data signal           15         G2         Green data signal           16         G3         Green data signal           17         G4         Green data signal           18         G5         Green data signal(MSB)           20         B0         Blue data signal(LSB)           21         B1         Blue data signal           22         B2         Blue data signal           24         B4         Blue data signal           25         B5         Blue data signal (to settle the viewing area)	2	DCLK	Clock signal for sampling catch data signal
5         GND           6         R0         Red data signal (LSB)           7         R1         Red data signal           8         R2         Red data signal           9         R3         Red data signal           10         R4         Red data signal           11         R5         Red data signal           12         GND           13         G0         Green data signal(LSB)           14         G1         Green data signal           15         G2         Green data signal           16         G3         Green data signal           17         G4         Green data signal           18         G5         Green data signal(MSB)           20         B0         Blue data signal(LSB)           21         B1         Blue data signal           22         B2         Blue data signal           23         B3         Blue data signal           24         B4         Blue data signal(MSB)           25         B5         Blue data signal (to settle the viewing area)	3	HD	Horizontal sync signal *1)
6         R0         Red data signal (LSB)           7         R1         Red data signal           8         R2         Red data signal           9         R3         Red data signal           10         R4         Red data signal           11         R5         Red data signal (MSB)           12         GND           13         G0         Green data signal (LSB)           14         G1         Green data signal           15         G2         Green data signal           16         G3         Green data signal           17         G4         Green data signal           18         G5         Green data signal(MSB)           20         B0         Blue data signal(LSB)           21         B1         Blue data signal           22         B2         Blue data signal           23         B3         Blue data signal           24         B4         Blue data signal           25         B5         Blue data signal (to settle the viewing area)	4	VD	Vertical sync signal *1)
7         R1         Red data signal           8         R2         Red data signal           9         R3         Red data signal           10         R4         Red data signal           11         R5         Red data signal           11         R5         Red data signal           12         GND         GND           14         G1         Green data signal           15         G2         Green data signal           16         G3         Green data signal           17         G4         Green data signal           18         G5         Green data signal(MSB)           19         GND           20         B0         Blue data signal(LSB)           21         B1         Blue data signal           22         B2         Blue data signal           23         B3         Blue data signal           24         B4         Blue data signal(MSB)           26         GND           27         DENA         Data enable signal (to settle the viewing area)	5	GND	
8         R2         Red data signal           9         R3         Red data signal           10         R4         Red data signal           11         R5         Red data signal (MSB)           12         GND           13         G0         Green data signal (LSB)           14         G1         Green data signal           15         G2         Green data signal           16         G3         Green data signal           17         G4         Green data signal           18         G5         Green data signal(MSB)           19         GND           20         B0         Blue data signal(LSB)           21         B1         Blue data signal           22         B2         Blue data signal           23         B3         Blue data signal           24         B4         Blue data signal(MSB)           25         B5         Blue data signal (to settle the viewing area)	6	R0	Red data signal(LSB)
9         R3         Red data signal           10         R4         Red data signal           11         R5         Red data signal(MSB)           12         GND           13         G0         Green data signal(LSB)           14         G1         Green data signal           15         G2         Green data signal           16         G3         Green data signal           17         G4         Green data signal           18         G5         Green data signal(MSB)           19         GND           20         B0         Blue data signal(LSB)           21         B1         Blue data signal           22         B2         Blue data signal           23         B3         Blue data signal           24         B4         Blue data signal(MSB)           25         B5         Blue data signal(MSB)           26         GND           27         DENA         Data enable signal (to settle the viewing area)	7	R1	Red data signal
10         R4         Red data signal           11         R5         Red data signal(MSB)           12         GND           13         G0         Green data signal(LSB)           14         G1         Green data signal           15         G2         Green data signal           16         G3         Green data signal           17         G4         Green data signal           18         G5         Green data signal(MSB)           19         GND           20         B0         Blue data signal(LSB)           21         B1         Blue data signal           22         B2         Blue data signal           23         B3         Blue data signal           24         B4         Blue data signal(MSB)           25         B5         Blue data signal(MSB)           26         GND           27         DENA         Data enable signal (to settle the viewing area)	8	R2	Red data signal
11         R5         Red data signal(MSB)           12         GND           13         G0         Green data signal(LSB)           14         G1         Green data signal           15         G2         Green data signal           16         G3         Green data signal           17         G4         Green data signal           18         G5         Green data signal(MSB)           19         GND           20         B0         Blue data signal(LSB)           21         B1         Blue data signal           22         B2         Blue data signal           23         B3         Blue data signal           24         B4         Blue data signal           25         B5         Blue data signal(MSB)           26         GND           27         DENA         Data enable signal (to settle the viewing area)	9	R3	Red data signal
12         GND           13         G0         Green data signal (LSB)           14         G1         Green data signal           15         G2         Green data signal           16         G3         Green data signal           17         G4         Green data signal           18         G5         Green data signal (MSB)           19         GND           20         B0         Blue data signal (LSB)           21         B1         Blue data signal           22         B2         Blue data signal           23         B3         Blue data signal           24         B4         Blue data signal           25         B5         Blue data signal (MSB)           26         GND           27         DENA         Data enable signal (to settle the viewing area)	10	R4	Red data signal
13         G0         Green data signal (LSB)           14         G1         Green data signal           15         G2         Green data signal           16         G3         Green data signal           17         G4         Green data signal           18         G5         Green data signal (MSB)           19         GND           20         B0         Blue data signal (LSB)           21         B1         Blue data signal           22         B2         Blue data signal           23         B3         Blue data signal           24         B4         Blue data signal           25         B5         Blue data signal (MSB)           26         GND           27         DENA         Data enable signal (to settle the viewing area)	11	R5	Red data signal(MSB)
14         G1         Green data signal           15         G2         Green data signal           16         G3         Green data signal           17         G4         Green data signal           18         G5         Green data signal(MSB)           19         GND           20         B0         Blue data signal(LSB)           21         B1         Blue data signal           22         B2         Blue data signal           23         B3         Blue data signal           24         B4         Blue data signal           25         B5         Blue data signal(MSB)           26         GND           27         DENA         Data enable signal (to settle the viewing area)	12	GND	
15 G2 Green data signal 16 G3 Green data signal 17 G4 Green data signal 18 G5 Green data signal(MSB) 19 GND 20 B0 Blue data signal(LSB) 21 B1 Blue data signal 22 B2 Blue data signal 23 B3 Blue data signal 24 B4 Blue data signal 25 B5 Blue data signal 26 GND 27 DENA Data enable signal (to settle the viewing area)	13	G0	Green data signal(LSB)
16 G3 Green data signal 17 G4 Green data signal 18 G5 Green data signal(MSB) 19 GND 20 B0 Blue data signal(LSB) 21 B1 Blue data signal 22 B2 Blue data signal 23 B3 Blue data signal 24 B4 Blue data signal 25 B5 Blue data signal 26 GND 27 DENA Data enable signal (to settle the viewing area)	14	G1	Green data signal
17 G4 Green data signal 18 G5 Green data signal(MSB) 19 GND 20 B0 Blue data signal(LSB) 21 B1 Blue data signal 22 B2 Blue data signal 23 B3 Blue data signal 24 B4 Blue data signal 25 B5 Blue data signal 26 GND 27 DENA Data enable signal (to settle the viewing area)	15	G2	Green data signal
18 G5 Green data signal(MSB)  19 GND  20 B0 Blue data signal(LSB)  21 B1 Blue data signal  22 B2 Blue data signal  23 B3 Blue data signal  24 B4 Blue data signal  25 B5 Blue data signal(MSB)  26 GND  27 DENA Data enable signal (to settle the viewing area)	16	G3	Green data signal
19         GND           20         B0         Blue data signal (LSB)           21         B1         Blue data signal           22         B2         Blue data signal           23         B3         Blue data signal           24         B4         Blue data signal           25         B5         Blue data signal(MSB)           26         GND           27         DENA         Data enable signal (to settle the viewing area)	17	G4	Green data signal
20 B0 Blue data signal(LSB) 21 B1 Blue data signal 22 B2 Blue data signal 23 B3 Blue data signal 24 B4 Blue data signal 25 B5 Blue data signal 26 GND 27 DENA Data enable signal (to settle the viewing area)	18	G5	Green data signal(MSB)
21 B1 Blue data signal 22 B2 Blue data signal 23 B3 Blue data signal 24 B4 Blue data signal 25 B5 Blue data signal 26 GND 27 DENA Data enable signal (to settle the viewing area)	19	GND	
22 B2 Blue data signal 23 B3 Blue data signal 24 B4 Blue data signal 25 B5 Blue data signal(MSB) 26 GND 27 DENA Data enable signal (to settle the viewing area)	20	В0	Blue data signal(LSB)
23 B3 Blue data signal 24 B4 Blue data signal 25 B5 Blue data signal(MSB) 26 GND 27 DENA Data enable signal (to settle the viewing area)	21	B1	Blue data signal
24 B4 Blue data signal 25 B5 Blue data signal(MSB) 26 GND 27 DENA Data enable signal (to settle the viewing area)	22	B2	Blue data signal
25 B5 Blue data signal(MSB) 26 GND 27 DENA Data enable signal (to settle the viewing area)	23	В3	Blue data signal
26 GND 27 DENA Data enable signal (to settle the viewing area)	24	B4	Blue data signal
27 DENA Data enable signal (to settle the viewing area)	25	B5	Blue data signal(MSB)
	26	GND	
	27	DENA	Data enable signal (to settle the viewing area)
28 VCC 3.3 V Power Supply	28	VCC	3.3 V Power Supply
29 VCC 3.3 V Power Supply	29	VCC	3.3 V Power Supply
30 R/L Right/Left scanning direction (Low=Normal, High=Right/Left Reverse)	30	R/L	Right/Left scanning direction (Low=Normal, High=Right/Left Reverse)
31 U/D Up/Down scanning direction (Low=Normal, High=Up/Down Reverse)	31	U/D	Up/Down scanning direction (Low=Normal, High=Up/Down Reverse)
32 NC This pin should be open.	32	NC	This pin should be open.
33 GND GND	33	GND	GND

<sup>\*1)</sup> HD and VD are not being used for timing control.

<sup>\*2)</sup> Metal frame is connected to signal GND.

## (2) CN 2 (Backlight) Backlight-side connector: 08-6260-018-340-829+ (KYOCERA ELCO)

Pin No.	Symbol	Function
1	VL	
2	VL	
3	VL	
4	VL	Lamp Voltage
5	VL	
6	VL	
7	VL	
8	VL	
9	BLEN	Backlight ON-OFF (High:ON, Low:OFF)
10	VBRT	Light Dimming Control Voltage
11	GND	
12	GND	
13	GND	
14	GND	GND
15	GND	
16	GND	
17	GND	
18	GND	

#### 6. INTERFACE TIMING

(1) Timing Specifications


	ITEM		SYMBOL	MIN.	TYP.	MAX.	UNIT
	Frequency		fclk	20	25	30	MHz
	Period		tclk	33.3	40	50	ns
DCLK	Low Width		twcl	10			ns
	High Width	1	twch	10			ns
DATA(R,G,B),	Set up time	);	$t_{\mathrm{DS}}$	4			ns
DENA	Hold time		t <sub>DH</sub>	4			ns
	Horizontal	Active Time	tha	640	640	640	tclk
		Blanking Time	tнв	20	160		tclk
		Frequency	fн	27	31.5	38	kHz
2224		Period	tн	26.3	31.7	37.0	μs
DENA		Active Time	tva	480	480	480	tн
	Vertical	Blanking Time	tvB	4	45		tн
		Frequency	fv	55	60	70	Hz
		Period	tv	14.3	16.7	18.2	ms

#### [Note]


- 1) DATA is latched at fall edge of DCLK in this specification.
- 2) DENA (Data Enable) should always be positive polarity as shown in the timing specification.
- 3) DCLK should appear during all invalid period.
- 4) In case of blanking time fluctuation, please satisfy following condition.

$$t_{VBn} > t_{VBn-1} - 3(t_H)$$


#### (2) Timing Chart



### b. Horizontal Timing Chart



#### c. Vertical Timing Chart



(3) Color Data Assignment

(0) 00101	r Data Assign								IN	PUT	' DA'	ГА							
	R DATA			G DATA				B DATA											
COLOR		R5	R4	R3	R2	R1	R0	G5	G4	G3	G2	G1	G0	B5	В4	B3	B2	B1	В0
		MSB					LSB	MSB					LSB	MSB					LSB
	BLACK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	RED(63)	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	GREEN(63)	0	0	0	0	0	0	1	1	1	1	1	1	0	0	0	0	0	0
BASIC	BLUE(63)	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1
COLOR	CYAN	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1
	MAGENTA	1	1	1	1	1	1	0	0	0	0	0	0	1	1	1	1	1	1
	YELLOW	1	1	1	1	1	1	1	1	1	1	1	1	0	0	0	0	0	0
	WHITE	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	RED(1)	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	RED(2)	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
DED																			
RED																			
	RED(62)	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	RED(63)	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	GREEN(1)	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	GREEN(2)	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
ODEEN																			
GREEN																			
	GREEN(62)	0	0	0	0	0	0	1	1	1	1	1	0	0	0	0	0	0	0
	GREEN(63)	0	0	0	0	0	0	1	1	1	1	1	1	0	0	0	0	0	0
	BLUE(1)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	BLUE(2)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
BLUE													<u>.</u>			<u></u>			<u></u>
DLUE													<u></u>			<u></u>			<u></u>
	BLUE(62)	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	0
[Note]	BLUE(63)	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1

[Note]

1) Definition of gray scale

Color (n) --- n indicates gray scale level.

Higher n means brighter level.


2) Data

1:High, 0: Low


#### (4) Display Position and Scan Direction

D(X,Y) shows the data number of input signal for LCD panel signal processing PCB.


R/L=Low, U/D=Low




R/L=High, U/D= Low




R/L=Low, U/D=High



R/L=High, U/D=High




## 7. BLOCK DIAGRAM




## 8. MECHANICAL SPECIFICATIONS

#### (1) Front Side



(Unit:mm)



#### 9. OPTICAL CHARACTERISTICS

Ta=25°C, VCC=3.3 V, VL=5.0V, Input Signals: Typ. Values shown in Section 6


ITEM		SYMBOL	CONDITION	MIN.	TYP.	MAX.	UNIT	Remarks
Contrast Ratio		CR	$\theta_V=0^\circ,\theta_H=0^\circ$	(100)	(185)			*1)*2)*5)
Luminance		Lw	$\theta_V=0^\circ,\theta_H=0^\circ$	(200)	(250)		cd/m²	*1)*5)
Luminance U	Jniformity	ΔLw	θv=0°, θн=0°			30	%	*1)*3)*5)
Dogman as Tim		tr	θv=0°, θн=0°		TBD		ms	*1)*4)*5)
Response Time		tf	θv=0°, θн=0°		TBD		ms	*1)*4)*5)
Viewing	Horizontal	θн	CR ≥ 10	TBD	TBD		0	*1)*5)
Angle	Vertical	$\theta_{ m V}$	C <b>n</b> ≥ 10	TBD	TBD		0	*1)*5)
Image Sticking		tis	2 h			2	s	*6)
	Red	Rx		TBD	TBD	TBD		
		Ry		TBD	TBD	TBD		
Color	Green	Gx		TBD	TBD	TBD		
Coordinates		Gy	$\theta_V=0^\circ,\theta_H=0^\circ$	TBD	TBD	TBD		*1)*5)
	Blue	Bx		TBD	TBD	TBD		
		By		TBD	TBD	TBD		
	White	Wx		TBD	TBD	TBD		
		Wy		TBD	TBD	TBD		

#### [Note]

These items are measured using CS1000(MINOLTA) for color coordinates, EZContrast(ELDIM) for viewing angle and CS1000 or BM-5A(TOPCON) for others under the dark room condition (no ambient light) after more than 30 minutes from turning on the backlight unless noted.

Condition: IF=90 mA


Measurement method for luminance and color coordinates is as follows.



The luminance is measured according to FLAT PANEL DISPLAY MEASUREMENTS STANDARD (VESA Standard).

#### \*1) Measurement Point

Contrast Ratio, Luminance, Response Time, Viewing Angle, Color Coordinates: Display Center Luminance Uniformity: point 1~5 shown in a figure below




#### \*2) Definition of Contrast Ratio


CR=Luminance with all white pixels / Luminance with all black pixels

#### \*3) Definition of Luminance Uniformity $\Delta Lw=[Lw(MAX)/Lw(MIN)-1] \times 100$

#### \*4) Definition of Response Time




#### \*5) Definition of Viewing Angle ( $\theta_V$ , $\theta_H$ )



#### \*6) Image Sticking

Continuously display the test pattern shown in the figure below for two-hours. Then display a completely white screen. The previous image shall not persist more than two seconds at  $25^{\circ}$ C.



TEST PATTERN FOR IMAGE STICKING TEST

## 10. RELIABILITY TEST CONDITION

#### (1) Temperature and Humidity

ITEM	CONDITIONS
HIGH TEMPERATURE HIGH HUMIDITY OPERATION	40°C, 90%RH, 240 h (No condensation)
HIGH TEMPERATURE OPERATION	70°C, 240 h
LOW TEMPERATURE OPERATION	−20°C, 240 h
HIGH TEMPERATURE STORAGE	80°C, 240 h
LOW TEMPERATURE STORAGE	−30°C, 240 h
THERMAL SHOCK (NON-OPERATION)	BETWEEN –30°C(1 h) and 80°C(1 h), 100 CYCLES

#### (2) Shock & Vibration

ITEM	CONDITIONS
SHOCK (NON-OPERATION)	Shock level: 1470m/s² (150G) Waveform: half sinusoidal wave, 2ms Number of shocks: one shock input in each direction of three mutually perpendicular axis for a total of six shock inputs
VIBRATION (NON-OPERATION)	Vibration level: 9.8m/s² (1.0G) Waveform: sinusoidal Frequency range: 5 to 500Hz Frequency sweep rate: 0.5 octave /min Duration: one sweep from 5 to 500 Hz in each of three mutually perpendicular axis(total 3 hours)

#### (3) Judgment standard

The judgment of the above tests should be made as follow:

Pass: Normal display image, no damage of the display function. (ex. no line defect) Partial transformation of the module parts should be ignored.

Fail: No display image, damage of the display function. (ex. line defect)

## 11. OTHER FEATURE

This LCD module complies with RoHS $^{*}$  directive.

\*) RoHS: Restriction of the use of certain hazardous substances in electrical and electronic equipment

#### 12. HANDLING PRECAUTIONS FOR TFT-LCD MODULE

Please pay attention to the followings in handling TFT-LCD products;

#### (1) ASSEMBLY PRECAUTION

- a. Please mount the LCD module by using mounting hole with a screw clamping torque (recommended value: 0.32±0.03 Nm). Please do not bend or wrench the LCD module in assembling. Please do not drop, bend or twist the LCD module in handling.
- b. Please design display housing in accordance with the following guide lines.
  - (a) Housing case must be designed carefully so as not to put stresses on LCD and not to wrench module.
  - (b) Under high temperature environment, performance and life time of LED may heavily shorten. When you design with our LCD product, please consider radiating heat and ventilation for good heat management.
  - (c) Keep sufficient clearance between LCD module back surface and housing when the LCD module is mounted. Approximately 1.0mm of the clearance in the design is recommended taking into account the tolerance of LCD module thickness and mounting structure height on the housing.
  - (d) When some parts, such as, FPC cable and ferrite plate, are installed underneath the LCD module, still sufficient clearance is required, such as 0.5mm. This clearance is, especially, to be reconsidered when the additional parts are implemented for EMI countermeasure.
  - (e) Keep sufficient clearance between LCD module and the others parts, such as inverter and speaker so as not to interfere the LCD module. Approximately 1.0 mm of the clearance in the design is recommended.
  - (f) To avoid local elevation/decrease of temperature, considering location of heating element, heat release, thermal design should be done.
- c. Please do not push or scratch LCD panel surface with anything hard. And do not soil LCD panel surface by touching with bare hands. (Polarizer film, surface of LCD panel is easy to be flawed.)
- d. Please wipe off LCD panel surface with absorbent cotton or soft cloth in case of it being soiled.
- e. Please wipe off drops of adhesives like saliva and water on LCD panel surface immediately. They might damage to cause panel surface variation and color change.
- f. Please do not take a LCD module to pieces and reconstruct it. Resolving and reconstructing modules may cause them not to work well.
- g. Please do not touch metal frames with bare hands and soiled gloves. A color change of the metal frames can happen during a long preservation of soiled LCD modules.
- h. Please handle metal frame carefully because edge of metal frame is very sharp.
- i. Please connect the metal frame of LCD module to GND in order to minimize the effect of external noise and EMI.
- j. Be sure to connect the cables and the connecters correctly.

#### (2) OPERATING PRECAUTIONS

- a. Please be sure to turn off the power supply before connecting and disconnecting signal input cable.
- b. Please do not change variable resistance settings in LCD module. They are adjusted to the most suitable value. If they are changed, it might happen LCD does not satisfy the characteristics

- specification.
- c. The interface signal speed is very high. Please pay attention to transmission line design and other high speed signal precautions to satisfy signal specification.
- d. A condensation might happen on the surface and inside of LCD module in case of sudden change of ambient temperature. Please take care so as not to cause any damage mentioned on (1)-d.
- e. Please pay attention not to display the same pattern for very long time. Image might stick on LCD. Even if image sticking happens, it may disappear as the operation time proceeds.
- f. Please obey the same safe instructions as ones being prepared for ordinary electronic products.

#### (3) PRECAUTIONS WITH ELECTROSTATICS

- a. This LCD module use CMOS-IC on circuit board and TFT-LCD panel, and so it is easy to be affected by electrostatics. Please be careful with electrostatics by the way of your body connecting to the ground and so on.
- b. Please remove protection film very slowly from the surface of LCD module to prevent from electrostatics occurrence.

#### (4) STORAGE PRECAUTIONS

LCD should be stored in the room temperature environment with normal humidity. The LCD inventory should be processed by first-in first-out method.

#### (5) SAFETY PRECAUTIONS

- a. When you waste damaged or unnecessary LCDs, it is recommended to crush LCDs into pieces and wash them off with solvents such as acetone and ethanol, which should later be burned.
- b. If any liquid leaks out of a damaged glass cell and comes in contact with the hands, wash off thoroughly with soap and water.

#### (6) OTHERS

- a. A strong incident light into LCD panel may cause deterioration to polarizer film, color filter, and other materials, which will degrade the quality of display characteristics. Please do not expose LCD module under strong Ultraviolet rays for a long time.
- b. Please pay attention to a panel side of LCD module not to contact with other materials in preserving it alone.
- c. For the packaging box handling, please see and obey with the packaging specification datasheet.